
Irregular Boundary (Manual Sec. 7-52)



Calculate N-S

(single proportion for latitude on N-S lines)

1942 latitude S1/2: N.2708.06 1942 latitude N1/2: N2569.08 1942 total latitude: N.5277.14

Your retracement latitude: N.5281.07

Latitude of the S1/2

N.2708.06 (1942 lat. S1/2) ÷ 5277.14 (1942 total lat.) = 0.513168 0.513168 x 5281.07 (your retracement lat.) = **N.2710.08 Ft**.

Latitude of the N1/2

 $N.2569.08 (1942 \text{ lat. } N1/2) \div 5277.14 (1942 \text{ total lat.}) = 0.486832$ $0.486832 \times 5281.07 (your retracement lat.) =$ **N.2571.01 Ft**.

Calculate E-W

(compass rule for departure on N-S lines)

1942 dist. of S1/2: 2723.82 ft. 1942 dist. of N1/2: 2581.92 ft. 1942 total dist.: 5305.74 ft. Difference in departure: 7.08 ft.

Departure of S1/2

2723.82 (1942 dist. S1/2) \div 5305.74 (total dist.) = 0.513372 0.513372 x 7.08 (diff. in departure) = E.3.63 ft.(correction) E.-292.60 (1942 departure of S1/2) + 3.63 (correction) = **E.-288.97 ft**. (departure of this course is minus because it is a NW bearing, the correction is + because it is E.)

Departure of N1/2

2581.92 (1942 dist. N1/2) \div 5305.74 (total dist.) = 0.486628 0.486628 x 7.08 (diff. in departure) = 3.46 ft. E.257.18 (1942 departure of N1/2) + 3.45 (correction) = **E.260.63** ft (the correction is + because it is E.)

Coordinates of the proportioned point: N.12710.10, E.9711.03

Bearing and distance of S1/2: N. 6° 05' 11" W., 2725.46 ft. (41.295 chs.) Bearing and distance of N1/2: N. 5° 47' 19" E., 2584.16 ft. (39.154 chs.)